

# **Mystical Whimsy Quilt – Class 11**

# **Large Circle Piecing and Finishing Center Row**

Now it's time to piece together the large circle and add piping around it. The completed circle will be appliqued to the confetti cloth circle. Then appliqued to the center of the quilt to complete the quilt top.





# Supplies:

Oupplies.	 
Fabric #2 with Floating Stitches from Class 10	1(3" x 20")
Fabric #4a & 4B	Confetti Cloth – Large Circle
Confetti Cloth from Class 1	
Fabric #6	2(1½" x 21") Large Circle Piecing
Fabric #7	1¼" x 75" cut on the Bias for Piping



	1
A STATE OF THE STA	
	1(3" x 21") 1(4" x 21") For Large Circle Piecing
	For Piping
	Part #820926096 or Part #820883096
	Part #68003085 Note: this foot is included with some models, but it is also available for other models as an optional foot.
	Part #820977096 or Part #820530096



Sewing Star Foot for IDT™ System		Part #820654096
Extension Table		Part number will be dependent on PFAFF® sewing machine model
PFAFF® Universal Needle Size 80/12, 5 pack	PFAFF  PFAFF  T T T T T T T T T T T T T T T T T T	Part #821194096
50wt Cotton Sewing Thread		
PFAFF® 4"/10.2cm Micro Tip Straight Blade Scissor		Part #821286996
SINGER® Steam Iron		Part number dependent on iron model.
Straight Pins		
Chalk Marker	d cover	
Rotary Cutter, Mat, 6" x 24" Ruler		
19" Bristol Board Circle from Class 1		
Other Supplies     Ironing Surface     Pressing Cloth		



## **Large Circle Piecing**


#### **Sewing Machine Preparations**


- 1. Insert a PFAFF® Universal Needle Size 80/12 in your PFAFF® sewing machine.
- 2. Attach the Extension Table, this will give you a larger sewing surface and better support for your project.
- 3. Thread with 50wt cotton sewing thread on top and on the bobbin.
- 4. Attach the ¼ Inch Quilting Foot for IDT™ System or Clear ¼ Inch Quilting Foot for IDT™ System to your PFAFF® sewing machine and engage the IDT™.
- 5. Select a Straight Stitch.


#### **Sewing Instructions**

- 1. Place the Radiant Stitched Half Square Triangle block right sides together with the Fabric # 9 Random Cord stitching 3" x 21" strip. Pin together.
- 2. Stitch together using a 1/4" seam allowance.
- 3. Press the seam allowance to one side using a SINGER® Steam Iron.
- 4. Place one of the 1½" x 21" strips of Fabric #6 right sides together with Fabric #9 Random Cord stitching. Pin together.
- 5. Stitch together using a 1/4" seam allowance.
- 6. Press the seam allowance to one side.

- 7. Place the Floating Stitch strip right sides together with Fabric #6. Pin together.
- 8. Stitch together using a 1/4" seam allowance.
- 9. Press the seam allowance to one side.











- 10. Place the remaining 1½" x 21" strip of Fabric #6 right sides together with the Floating Stitch strip. Pin together.
- 11. Stitch together using a 1/4" seam allowance.
- 12. Press the seam allowance to one side.
- 13. Place the Fabric # 9 Random Cord stitching 4" x 21" strip right sides together with Fabric #6. Pin together.
- 14. Stitch together using a 1/4" seam allowance.
- 15. Press the seam allowance to one side.



- 16. Place the 19" template on top of the pieced fabric; match the marked centerline on the template with the seam between the Radiant Stitch block and Fabric #9 Random stitched strip.
- 17. Trace the circle with the chalk marker.



18. Cut out on the drawn line.





# **Piping for Large Circle**

#### **Sewing Machine Preparations**

1. Change your thread color to match the piping fabric.

#### **Fabric Preparation**

- 1. You will use the 11/4" strips of Fabric #7 cut on the bias (approximately 75").
- 2. Sew the 1¼" bias strips together using a ¼" seam allowance (make sure all the ends are cut at a 45-degree angle). Offset the ends when stitching the strips together.
- 3. Press the seams open. Trim off the extending points.

#### **Sewing Machine Preparations**

 Attach the Grand Piping Foot for IDT<sup>™</sup> System to the right of the needle on your machine or the Welting Foot. Engage the IDT<sup>™</sup> System.






### **Sewing Instructions for Inserting Cord into Piping Strip**

1. Lay the ½" cording on the wrong side of the fabric strip and wrap the fabric around the cord.

- 2. Place the fabric and the cord under the **Grand Piping Foot** with the cord to the left of the foot. Move the needle position to the left. Sew along the length of your strip. Tip: When you sew this piping into your project, adjust the needle position so the second row of stitches is one needle position closer to the cord, to cover the first stitching.
- For the Welting Foot place the fabric and cord under the groove of the foot, the raw edges will be to the right of the foot. Select center needle position and sew along the length of your strip.









#### Stitching the Piping Strip to the Large Circle

- 1. Line up the raw edge of the piping with the raw edge of the large circle. Adjust the needle position so the row of stitches is one needle position closer to the cord, to cover the first stitching.
- 2. Stitch all the way around the large circle. Join the starting and ending point with your preferred method.
- 3. Press the piping raw edges to the underside of the large circle.





## Attaching the Large Circle to the Confetti Cloth Circle

1. Center the pieced large circle onto of the Confetti Cloth large circle pin in place.

 Move the Grand Piping Foot for IDT<sup>™</sup> System to the left of the needle on your machine. Engage the IDT<sup>™</sup> System.

- 3. Move the needle position to the right.
- 4. Sew around the entire circle.









#### **Sewing Machine Preparations**

- 1. Attach the Bi Level Guide Foot for IDT<sup>™</sup> System to your PFAFF<sup>®</sup> sewing machine and engage the IDT<sup>™</sup>.
- 2. Change your thread color to match the Confetti Cloth.
- 3. Select the Invisible Appliqué Stitch you created with the Stitch Creator™ or the altered Blind Hem Stitch from Class 4.

## **Sewing Instructions**

1. Pin the large circle onto the piece you created in Class 10. Position it over the mid-section of the center row.





- Sew along the edge of the Confetti Cloth with the Invisible Appliqué Stitch you created with the Stitch Creator<sup>™</sup> or the altered Blind Hem Stitch.
- 3. When stitching the straight stitch should be along the fold and the zigzag portion of the stitch should be on Confetti Cloth.

